

Digital Adjustable Volume Micropipettor



Specification of Digital Micropipettor

Model	ST-L2001	ST-L2002	ST-L2003	ST-L2004	ST-L2005	ST-L2006	ST-L2007	ST-L2008
Volume (uL)	0.1-2	1-10	2-20	10-100	20-200	100-1000	1000-5000	1-10ml
Accuracy	± 15.0-2.0%	± 4.0-1.2%	± 5.0-2.5%	± 2.5-1.2%	± 2.0-1.0%	± 1.5-1.0%	± 1.5-0.8%	± 4.0-0.8%
Repeatability	≤ 10.00-1.00%	≤ 2.00-0.70%	≤ 3.00-0.80%	≤ 0.80-0.40%	≤ 1.00-0.40%	≤ 0.60-0.30%	≤ 0.60-0.30%	≤ 1.00-0.30%

Fixed Volume Micropipettor



Specification of Fixed Volume Micropipettor

Model	ST-L2009	ST-L2010	ST-L2011	ST-L2012	ST-L2013	ST-L2014	ST-L2015	ST-L2016	ST-L2017
Volume (uL)	5	10	20	25	50	100	200	500	1000
Accuracy	± 2%	± 1%	± 1%	± 1%	± 0.8%	± 0.8%	± 0.8%	± 0.8%	± 0.8%
Repeatability	≤ 0.8%	≤ 0.50%	≤ 0.30%	≤ 0.30%	≤ 0.30%	≤ 0.25%	≤ 0.15%	≤ 0.20%	≤ 0.15%

Digital Adjustable Volume Micropipettor, Autoclavable



Specification of Digital Micropipettor, Autoclavable

Model	ST-L2018	ST-L2019	ST-L2020	ST-L2021	ST-L2022	ST-L2023	ST-L2024
Volume (uL)	0.1-2	1-10	2-20	10-100	20-200	100-1000	1000-5000
Accuracy	± 12.0-1.5%	± 2.5-1.0%	± 5.0-1.0%	± 1.8-0.8%	± 1.0-0.8%	± 1.5-0.8%	± 1.2-0.6%
Repeatability	≤ 6.00-0.70%	≤ 1.25-0.40%	≤ 1.50-0.30%	≤ 0.50-0.15%	≤ 0.50-0.15%	≤ 0.30-0.15%	≤ 0.30-0.16%

8 & 12 Channel Micropipettor, Autoclavable



Specification of Multi Channel Micropipette

Model	ST-L2025	ST-L2026	ST-L2027	ST-L2028
Channel	8	8	12	12
Volume (uL)	2-20	20-200	2-20	20-200
Accuracy	± 6.0-1.5%	± 2.5-1.0%	± 6.0-1.5%	± 2.5-1.0%
Repeatability	≤ 2.5-0.40%	≤ 1.25-0.50%	≤ 2.5-0.40%	≤ 1.25-0.50%