



## Colony counter "Digital S"

FOR PETRI DISH OF UP TO 100 mm DIAMETER.

### APPLICATIONS

Molecular Biology, Genetics and microbiology.

### FEATURES

The unit records each pulsed colony count on the digital screen to a total of 999 counts. Pressure to count can be made by any way (pencil, or pen tip etc.). Epoxy coated casing. Reversible interior background part in white or black. Steady, (glare free) fluorescent illumination, clear and wide view visibility. Removable plates for housing varying sizes of Petri dishes. Location for reversible contrast plates. Magnifying glass X2 with adjustable height and rotation support

### CONTROL PANEL

Mains switch.  
Numerical digital display: 3 digits.  
Audible confirmation beep for each count. Zero reset button. RESET.

### MODEL

Part No.	Ø of magnifying glass cm	Magnification	Height / Width / Depth (exterior) cm	Power W	Weight Kg
<b>4905000</b>	12.5	2x	25 23 30	20	3.5

Supplied complete with Wolffhuegel disc.



### ACCESSORY

**5 Wolffhuegel discs.**  
Part No. **4905001**

## BENCH TOP ULTRAVIOLET RADIATION STERILIZER "U.V. ESTÉRIL"

Fast destruction of germs by U.V. radiation based on the principle that albuminoid bodies absorb energy that which prevents germination and reproduction of the bacteria. Suitable for destroying: bacteria, virus, spores, yeast and mildew.

### FEATURES

Main body made of expanded polystyrene, with a polished AISI 304 stainless steel tray that reflects the U.V. radiation and a protective smoke coloured methacrylate top that allows the samples to be seen and at the same time, it is opaque to U.V. light. U.V. Wave length: U.V. 2537 Angstroms.  
U.V. lamp life span: 5000 hours approx.

### CONTROL PANEL

Illuminated Mains switch.  
To prevent accidental sight or skin damage a safety micro-switch that cuts off the power if the U.V. protective cover is removed.

### MODEL

Part No.	Height/Width/Depth (interior) cm	Height/Width/Depth (exterior) cm	Power W	Weight Kg
<b>3000416</b>	7 to 9 50 20	17 57 38	15	7.5



## WESTERGREN SEDIMENTATION PIPETTE SUPPORT STAND

Sedimentation tube support stand.  
Made of AISI 304 stainless steel.  
Supports pipettes with a replaceable vial type rubber plug. Easy to clean.  
Sectioned, tilted, 45 °C front panel scribe board for notes.  
Designed so that the tubes can be mounted only with one hand.

Part No.

**1000093** Three Place.

**1000096** Six place.

**1000912** Twelve place.



## HAND MICROTOME

Cylindrical hand microtome, that can achieve a minimum cut of 10 µm, using a manual advanced mechanism.

External milled knob with a micrometer scale of 50 divisions of 10 µm.

Maximum sample section of 20 mm.

Precise internal sample holder with a maximum aperture of 8 mm.

Part No. **5900019**

Supplied complete with a carry case, dissection forceps, blade and a 5 mm thick glass base.

