

ESJ-A Series Electronic Analytical Balance

- Post electromagnetic force transducer.
- Spacious weighing chamber.
- Single key fully auto-calibration.
- Auto-timing calibration.
- Auto-calibration along with the changeable temperature.
- Very large screen with white back-light.
- Diversiform weighing units and counting weighing modes.
- Units conversion and data output, parts counting, over-load/ lack-load alarm.
- Full tare range.
- Weighing data accumulation modes and under hook for density weighing.




Specification of ESJ-A Series Electronic Analytical Balance

Model	ST-ESJ210-4A	ST-ESJ200-4A	ST-ESJ120-4A	ST-ESJ110-4A
Weighing Range	210g	200g	120g	110g
Readability	0.0001g			
Pan Size	Ø 90mm			
Dimension	460 x 205 x 280			

Electronic Balance ESK Series

- High capacity, high precision.
- Automatic calibration with external weight.
- RS 232 interface to connect to printers and computers.
- Underhook weighting for density determination.
- Overload and short load protection.
- Full tare range to capacity.



Specification of Electronic Balance ESK Series

Model	Capacity	Readability	Pan Size	Dimension (mm)
ST-ES10K1	10kg	0.1g	340 x 300mm	460 x 320 x 160
ST-ES20K1	20kg			
ST-ES30K1-1	30kg			
ST-ES30K1	30kg	1g		
ST-ES50K1	50kg			

Moisture Analyzer

- Halogen Lamp.
- LCD display.
- Easy to operate.
- Simple, fast and reliable readings.
- Data printing.



Specification of Moisture Analyzer

Model	ST-LSC60
Weight Range (g)	0~100g
Readability	0.01%/ 0.001g
Measuring Scope	0.01~100%
Data Output	RS232
Heater	Halogen lamp heating
Temperature Range	50~200°C
Display Content	Moisture percentage, primary weight, primary temperature, final weight, final temperature
Pan Diameter	90mm
Dimension	350 x 200 x 260mm
Weight	7.5kg
Recommended Analytical Weight	1~10g